
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Now!](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 11 - 20 of about 78,100 for **java metadata interface 2000**. (0.26 seconds)

### SAS 9.1 Open Metadata Architecture: Best Practices Guide

... Professional, Windows 2000 Advanced Server, Windows 2000 Professional, Windows ... Open **Metadata Interface** and the **SAS Java Metadata Interface** programmer **interfaces** ...

[support.sas.com/rnd/eai/openmeta/v9/bestpractices/userids.html](http://support.sas.com/rnd/eai/openmeta/v9/bestpractices/userids.html) - 19k - [Cached](#) - [Similar pages](#)

### SAS OnlineDoc 9.1 - Introduction

... to SAP BW: User's Guide; SAS/ACCESS 9.1 **Interface** to SYSTEM 2000: Reference; ... SAS Open **Metadata Architecture**: SAS 9.1 **Java Metadata Interface**: User's Guide; SAS 9.1 ...

[support.sas.com/publishing/cdrom/v9\\_1/reference\\_list.html](http://support.sas.com/publishing/cdrom/v9_1/reference_list.html) - 13k - [Cached](#) - [Similar pages](#)

[ [More results from support.sas.com](#) ]

### Internet-Glossar: J - [ Translate this page ]

... JDK, **Java Development Kit**, auch J2SE genannt, seit 2000 in der Version 1.3 verfügbar. ... Siehe auch HotSpot. JMI, **Java Metadata Interface**. ...

[www.torsten-horn.de/glossar/GlossarJ.htm](http://www.torsten-horn.de/glossar/GlossarJ.htm) - 22k - [Cached](#) - [Similar pages](#)

### XML.com: A Uniform Interface for Authoring [Nov. 13, 2000]

... According to Stein, the **interface** between Outlook and ... alphaWorks has an experimental **Java** implementation of ... that although authoring and **metadata** are currently ...

[www.xml.com/pub/a/2000/11/devcon/webdav.html](http://www.xml.com/pub/a/2000/11/devcon/webdav.html) - 27k - [Cached](#) - [Similar pages](#)

### XML.com: RDF Software [Jun. 16, 2001]

... is a **Java** Application Programming **Interface** (API) and ... Tucana KnowledgeStore (TKS) is a **Java**-based Resource ... that is optimized for **metadata** management and ...

[www.xml.com/pub/rg/RDF\\_Software](http://www.xml.com/pub/rg/RDF_Software) - 25k - May 9, 2004 - [Cached](#) - [Similar pages](#)

[ [More results from www.xml.com](#) ]

### XMOP: XML Metadata Object Persistence

... The Koala project integrates with the **Java** class at the **Serializable interface**, providing a ... XMOP is a **metadata** driven serialization technique and employs ...

[www.openhealth.org/xmop/XMOP.htm](http://www.openhealth.org/xmop/XMOP.htm) - 7k - [Cached](#) - [Similar pages](#)

### RE: ResultSetMetaData problems (getColumnType() and -TypeName)

... is] > Sent: Tuesday, July 18, 2000 5:21 PM ... dot ) org' > Subject: [INTERFACES] ResultSetMetaData problems ... **getColumnType**(ResultSet > **MetaData.java**: > 363) > at ...

[archives.postgresql.org/pgsql-interfaces/2000-07/msg00150.php](http://archives.postgresql.org/pgsql-interfaces/2000-07/msg00150.php) - 18k - [Cached](#) - [Similar pages](#)

### RE: JDBC for 7.0 - Tuple received before MetaData exception

... at ) postgresql ( dot ) org Subject: [INTERFACES] JDBC for ... Tuple received before **MetaData**. at **java.lang.Throwable.fillInStackTrace**(Native Method) at **java.lang** ...

[archives.postgresql.org/pgsql-interfaces/2000-05/msg00159.php](http://archives.postgresql.org/pgsql-interfaces/2000-05/msg00159.php) - 7k - [Cached](#) - [Similar pages](#)

[ [More results from archives.postgresql.org](#) ]

### [PDF] CSE3420 2000/1 Lecture Notes Module 9 - Java Database Connectivity ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Application Architectures The JDBC **interfaces** Accessing a ... Mapping database types to **Java** **Formatting** classes Accessing **Metadata** Example code for ...

[www.csse.monash.edu.au/courseware/cse3420/Lectures/pdf/wk9.pdf](http://www.csse.monash.edu.au/courseware/cse3420/Lectures/pdf/wk9.pdf) - [Similar pages](#)

Rocks: Re: XMLC metadata..

... Rocks: Re: XMLC **metadata..** Subject: Rocks: Re: XMLC **metadata..** ... This java class should implement some **interface** specified by xmlc. ...

mail-archive.objectweb.org/xmlc/2000-04/msg00001.html - 10k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)


java metadata interface 2000

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [News!](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 1 - 10 of about 150,000 for [java interface dynamic proxy](#) . (0.61 seconds)

### Dynamic Proxy Classes

... can use a **dynamic proxy** class to create an object that implements multiple arbitrary event listener **interfaces**— **interfaces** that extend `java.util.EventListener` ...

[java.sun.com/j2se/1.3/docs/guide/reflection/proxy.html](http://java.sun.com/j2se/1.3/docs/guide/reflection/proxy.html) - 28k - [Cached](#) - [Similar pages](#)

### Using Dynamic Proxies to Generate Event Listeners Dynamically

... An instance of a **dynamic** listener class is created with the `java.lang.reflect.Proxy.newProxyInstance` factory method using the listener **interface** and the ...

[java.sun.com/products/jfc/tsc/articles/generic-listener2/](http://java.sun.com/products/jfc/tsc/articles/generic-listener2/) - 23k - [Cached](#) - [Similar pages](#)

[ [More results from java.sun.com](#) ]

### Explore the Dynamic Proxy API

... and then to the `java.lang.reflect.Proxy` class and the `java.lang.reflect.InvocationHandler` **interface**, which make up the heart of **Dynamic Proxy's** functionality. ...

[www.javaworld.com/javaworld/jw-11-2000/jw-1110-proxy.html](http://www.javaworld.com/javaworld/jw-11-2000/jw-1110-proxy.html) - 59k - May 10, 2004 - [Cached](#) - [Similar pages](#)

### Implement Design by Contract for Java using dynamic proxies

... of the existing software's state, behavior, and **interface**. ... I present a DBC for Java framework called ... This framework uses **dynamic proxy** classes, which were ...

[www.javaworld.com/javaworld/jw-02-2002/jw-0215-dbcproxy.html](http://www.javaworld.com/javaworld/jw-02-2002/jw-0215-dbcproxy.html) - 59k - [Cached](#) - [Similar pages](#)

[ [More results from www.javaworld.com](#) ]

### ONJava.com: Memoization in Java Using Dynamic Proxy Classes [Aug. ...]

Memoization in Java Using **Dynamic Proxy** Classes. ... This article looks at memoization in Java and presents a ... Here, Foo is the **interface** whose method calls are to ...

[www.onjava.com/pub/a/onjava/2003/08/20/memoization.html](http://www.onjava.com/pub/a/onjava/2003/08/20/memoization.html) - 45k - May 10, 2004 - [Cached](#) - [Similar pages](#)

### Create wrapper classes on the fly with Java dynamic proxies ...

... The Java 1.3 release introduced a new feature called **dynamic proxy** classes, which ... wrapper classes on the fly for implementations of known **interfaces**. ...

[builder.com.com/5100-6370-5054393.html](http://builder.com.com/5100-6370-5054393.html) - 36k - [Cached](#) - [Similar pages](#)

### Create wrapper classes on the fly with Java dynamic proxies ...

... using **dynamic proxies**. Note that the class we've created, `BuilderRobotInvocationHandler`, doesn't even implement the **Robot interface**. Instead it implements `java. ...`

[builder.com.com/5100-6370\\_14-5054393-2.html](http://builder.com.com/5100-6370_14-5054393-2.html) - 33k - [Cached](#) - [Similar pages](#)

[ [More results from builder.com.com](#) ]

### Dynamic Proxy for Local and Remote Interface (EJB 2.0) ...

... Java design: **Dynamic Proxy** for Local and Remote **Interface** (EJB 2.0)

Posted on 2001-12-04 09:56:57 by admin. TheServerside By: Kjetil ...

[www.javadigest.net/article.php?sid=54&mode=thread](http://www.javadigest.net/article.php?sid=54&mode=thread) - 33k - [Cached](#) - [Similar pages](#)

### Intercept Method Calls With Dynamic Proxy

... Note: Its important to note that **Dynamic Proxies** suffer from performance ... To understand this better lets use a **interface** called [`IService.java`] where we ...

[www.prabhums.org/weblogs/files/16ddf219448198feede4b3230470fc9fintercept\\_dproxy.htm](http://www.prabhums.org/weblogs/files/16ddf219448198feede4b3230470fc9fintercept_dproxy.htm) - 15k - [Cached](#) - [Similar pages](#)

Curiosity is bliss: **Dynamic Proxy** Classes

... args) method. Java uses of **dynamic proxy** classes **Interface** tracing  
**Proxies** can be used for method tracing, as shown here. Note that ...

[blog.monstuff.com/archives/000098.html](http://blog.monstuff.com/archives/000098.html) - 14k - [Cached](#) - [Similar pages](#)

Google

Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)

java interface dynamic proxy

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google